Tel: 1(800)388-4221 Fax: 1(917)591-2212 Email: info@nanocs.com

TECHNICAL DATA SHEET

Azide PEG OPSS, MW 1000, 2000, 3400, 5000, 10k, 20k

Catalog Numbers: PG2-AZOS-1k, 2k, 3k, 5k, 10k, 20k.

Synonym: PDP PEG azide, Azido PEG OPSS, Azido PEG PDP, Azide PEG PDP

Description:

OPSS PEG Azide (OPSS-PEG-N₃) is one of Nanocs' heterobifunctional polyethylene glycol crosslinkers that have a thiol reactive group and an azido group bridged by a linear PEG chain. OPSS (ortho-pyridyldisulfide, PDP) is a commonly used sulfhydryl reactive group that reacts readily with free thiol groups at pH 4.5~8.5 to form a cleavable disulfide bond. Meanwhile, azide group can be used to react with alkyne via so called "Click Chemistry. PEG linker between OPSS and azide offers better water solubility, less steric hindrance and enhanced reactivity. Compared to other crosslinkers, PEG crosslinkers from Nanocs have more choices for their functionality and are easy to use; all crosslinking reactions can be carried out in aqueous solution without need adding any organic solvents.

Product Structure:

Product Specifications:

Composition: Azido PEG OPSS.

Appearance: White/off-white solid, semi-solid

depends on molecular weight.

Solubility: Soluble in water, chloroform,

DMSO, etc.

Reactive groups: Pyridyldisulfide, azide.

Handling and Use:

OPSS PEG azide should always be kept in low temperature in dry condition. Prepare fresh solution right before use. Avoid frequent thaw and freezing. For more information about using this product, visit **www.nanocs.net**.

Storage Conditions:

Azido PEG OPSS should be stored at -20 °C. Desiccate. Protect from light. Materials may be handled under inert gas for best stability. Re-test material after 12 months.

This product is for research use only and is not intended for use in humans or for diagnostic use.

Related Products:

OPSS PEG NHS
OPSS PEG FITC
OPSS PEG amine
Silane PEG OPSS
OPSS PEG azide
OPSS PEG Biotin
DBCO PEG OPSS
OPSS PEG azide

To Order:

Order online: www.nanocs.net

Order by Email: sales@nanocs.com

Order by phone: 1(800) 388-4221; 1(888)

908-8803

For more information, visit www.nanocs.net

The information given in this document is to the best of our knowledge accurate, but no warranty is expressed or implied. It is the user's responsibility to determine the suitability for their own use of the products described herein, and since conditions of use are beyond our control, we disclaim all liability with respect to the use of any material supplied by us. Nothing contained herein shall be construed as a recommendation to use any product or to practice any process in violation of any law or any government regulation.